



ALMA




ALMA-16

IN STOCK




ALMA-21

IN STOCK




ALMA-22

IN STOCK





ALMA-24

IN STOCK




ALMA-29


IN STOCK





ALMA-85

IN STOCK










▲ In stock

ALMA-16



▲ In stock

ALMA-21




▲ In stock

ALMA-22



▲ In stock

ALMA-24




▲ In stock

ALMA-29



▲ In stock

ALMA-85



ALMA-82



ALMA-84




ALMA-93


Specification

| | |
|----------------------------------|----------------------------|
| Product Name | ALMA |
| Tufted construction | Level Loop |
| Fiber | 100% PP |
| Dye method | Solution Dyed |
| Gauge | 1/10 |
| Tufted weight(g/m ²) | 530 ± 5% |
| Tile size(mm) | 500 x 500 |
| Pile height(mm) | 3.5 ± 0.5 |
| Total thickness(mm) | 6.5 ± 0.5 |
| Standard Backing | Glass fiber reinforced PVC |

Recommended installation methods



Monolithic



Quarter-turn



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No zipping

No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold