

C-OCEAN-228



The Flooring Solutions

*your color story*


## PATTERNS

25cm x 100cm, 50cm x 50cm, 60cm x 60cm



### INDEX

### PAGE


|                         |    |
|-------------------------|----|
| C-OCEAN 228001-04       | 2  |
| C-OCEAN 228001-11       | 3  |
| C-OCEAN 228001-03       | 4  |
| C-OCEAN 228012-02 (3:7) | 5  |
| C-OCEAN 228013-03 (3:7) | 6  |
| C-OCEAN 228004          | 7  |
| C-OCEAN 228001-14       | 8  |
| C-OCEAN 228014-04 (4:6) | 9  |
| Specification           | 11 |




C-OCEAN 228001-04



C-OCEAN 228001-11




C-OCEAN 228001-03




C-OCEAN 228012-02

3:7




C-OCEAN 228013-03

3.7



C-OCEAN 228004





C-OCEAN 228001-14






ORIGINALITY






C-OCEAN 228011




C-OCEAN 228001




C-OCEAN 228013





C-OCEAN 228003




C-OCEAN 228012



C-OCEAN 228002



C-OCEAN 228014




C-OCEAN 228004


Specification

|                                  |                            |
|----------------------------------|----------------------------|
| Product Name                     | C-OCEAN 228                |
| Product Code                     | C-OCEAN 228                |
| Tufted construction              | Multi-Level loop           |
| Fiber                            | 100% Nylon 100%            |
| Dye method                       | Solution Dyed              |
| Gauge                            | 1/12                       |
| Tufted weight(g/m <sup>2</sup> ) | 540±5%                     |
| Tile size(mm)                    | 250x1000, 500x500, 600x600 |
| Pile height(mm)                  | 4.0 ± 0.5                  |
| Total thickness(mm)              | 6.5 ± 0.5                  |
| Standard Backing                 | Glass fiber reinforced PVC |


Recommended installation methods




Ashlar




Herringbone




Basketweave



Anti-fouling




Anti-static




Environmental



Passed various tests



Fashion colors




100%B,C,F Yarn




Reduced Flammability




Isolation acoustic




Colorfast




Chair roulettes



No edge ravel




Wear resistance



Soil Resistance




Wear Warranties




Dimensional Stability



Long life-span



Easy to transport



Non-mold