

C-VIBGYOR-313



The Flooring Solutions

your color story


PATTERNS

50cm x 50cm 60cm x 60cm


INDEX

PAGE


C-VIBGYOR 133035 C-VIBGYOR 3131135	2
C-VIBGYOR 133035-56 C-VIBGYOR 31303556	3
C-VIBGYOR 133035-59 C-VIBGYOR 31303559	4
C-VIBGYOR 133035-19 C-VIBGYOR 31303519	5
C-VIBGYOR 133011-63 C-VIBGYOR 31301163	6
C-VIBGYOR 133011-52 C-VIBGYOR 31301152	7
Specification	9




C-VIBGYOR 133035
C-VIBGYOR 3131135




C-VIBGYOR 133035-56
C-VIBGYOR 31303556



C-VIBGYOR 133035-59
C-VIBGYOR 31303559




C-VIBGYOR 133035-19
C-VIBGYOR 31303519




C-VIBGYOR 133011-63


C-VIBGYOR 31301163




C-VIBGYOR 133011-52
C-VIBGYOR 31301152




C-VIBGYOR 3133519




C-VIBGYOR 3133556




C-VIBGYOR 3133559




C-VIBGYOR 3131152



C-VIBGYOR 3131157



C-VIBGYOR 3131163




C-VIBGYOR 3131135


Specification

Product Name	DCP
Product Code	C-VIBGYOR 313
Tufted construction	Level Loop
Fiber	100% Nylon
Dye method	Solution Dyed
Gauge	5/64
Tufted weight(g/m ²)	550 ± 5%
Tile size(mm)	500 x 500 / 600 x 600
Pile height(mm)	4.0 ± 0.5
Total thickness(mm)	6.5 ± 0.5
Standard Backing	Glass fiber reinforced PVC

Recommended installation methods



Monolithic



Quarter-Turn

